ELSEVIER

Int. J. Pres. Ves. & Piping **60** (1994) 341–343
© 1994 Elsevier Science Limited
Printed in Northern Ireland. All rights reserved

Contents of Volume 60

Number 1

1 An engineering approach for notch elastic–plastic fracture analysis
W.-Q. WANG, A.-J. LI, P.-N. LI & D.-J. JU (China)

17 Residual stress analysis of a thick-walled cylinder in dynamic loading
L. YONG, W. L. XIN, X. L. WEI & Z. F. MENG (China)

21 The design philosophy of fatigue life on a cylinder wall with surface cracks
J. ZHANG (China)

27 The experimental investigation of deformation and opening displacement at a crack tip
X. SUN, W. CAO & X. LU (China)

37 Stresses due to flow past a circular cylinder
S. SINGH & A. KUMAR (India)

49 Comparison of toughness in bending and in tension of a pipeline steel
B. FAUCHER & W. R. TYSON (Canada)

59 Welding of tube-to-tube joints between martensitic and austenitic stainless steels for reactor applications
H.-Y. HAN (China) & Z. SUN (Finland)

65 Plastic collapse pressures for defected cylindrical vessels
K. ZARRABI (Australia)

71 A database to evaluate stress intensity factors of elbows with throughwall flaws under combined internal pressure and bending moment
J. CHATTOPADHYAY, B. K. DUTTA, H. S. KUSHWAHA, S. C. MAHAJAN & A. KAKODKAR (India)

85 Environmentally assisted crack extension during fatigue cycling in steels—Some fractographic observations
J. H. BULLOCH (Ireland)

103 **Technical Note**
On bending stresses at longitudinal weld joints of cylindrical shells due to peaking
N. BÖCK & J. L. ZEMAN (Austria)

107 Announcements

Number 2

109 Stress analysis of ellipsoidal vessel head with large-diameter flush radial nozzle and comparison of reinforcement types
G. CHANG (China)

127 The methodology for the assessment of the safety of pressurized components containing welding defects and the related expert system
S.-H. DAI (China)

133 A three-dimensional finite element analysis of hydrostatic bulging of an integral polyhedron into a spherical vessel
J. HASHEMI & Q. S. ZHENG (USA)

139 Research on crack arrest in pre-stressed wire-wrapped cylinders with longitudinal cracks—II. Engineering design
W. XINLI & Y. FANGYU (China)

145 Research into the dieless hydroforming of double layer spherical vessels
S. H. ZHANG & Z. R. WANG (China)

151 Fatigue and fracture behavior of a nickel–chromium free austenitic steel
V. K. SAXENA, M. S. G. KRISHNA, P. S. CHHAUNKER & V. M. RADHAKRISHNAN (India)

159 The initiation of delayed hydride cracking at a nominally smooth surface
E. SMITH (UK)

167 On the shrink-fit problem of a thin cylinder
S. SINGH (India)

177 Effect of size and stress gradient on fatigue behaviour
D. C. R. WARYOBA & J. S. MSHANA (Tanzania)

183 Sustained-load-cracking characteristics of aluminium-lined NGV cylinders
G. S. BHUYAN & D. H. CARTER (Canada)

193 A statistical analysis of the failure time distribution for $\frac{1}{2}Cr\frac{1}{2}Mo\frac{1}{4}V$ steel tubes in the presence of outliers
M. EVANS (UK)

209 **Technical Note**
Shrinkage of PVC pipe during heating–cooling cycles
D. Z. LUO (UK)

211 Announcements

Number 3

213 NDT performance demonstration in Spain
G. J. BOLLINI (Spain)

217 Annealing for plant life management: Hardness, tensile and Charpy toughness properties of irradiated, annealed and re-irradiated mock-up low alloy nuclear pressure vessel steel
P. TIPPING & R. CRIPPS (Switzerland)

223 A new limit-load formula for the ligament of a surface crack in leak-before-break (LBB) assessment
J. CHEN, Y. C. WANG & D. Y. JU (China)

231 Repair of stress corrosion cracking in a CO heat exchanger
Z. SUN (Finland) & H.-Y. HAN (China)

237 Analysis of creep in a welded 'P91' pressure vessel
G. EGGELER, A. RAMTEKE (Switzerland), M. COLEMAN, B. CHEW (UK), G. PETER, A. BURBLIES (Germany), J. HALD (Denmark), C. JEFFEREY (UK), J. RANTALA (Finland), M. DEWITTE (Belgium) & R. MOHRMANN (Germany)

259 Preliminary irradiation test results from the Yankee Atomic Electric Company reactor vessel test irradiation program
E. C. BIEMILLER, S. FYFITCH & C. A. CAMPBELL (USA)

271 Measurement and simulation of residual stress in type 304 weld overlay stainless steel pipe
H.-J. YEN, M. C.-C. LIN & L.-J. CHEN (Taiwan)

285 Experimental calibration of stress intensity factor for piping with circumferential through-wall crack
C. S. SHIN & C. M. WANG (Taiwan)

297 On line fatigue life monitoring methodology for power plant components
N. K. MUKHOPADHYAY, B. K. DUTTA, H. S. KUSHWAHA, S. C. MAHAJAN & A. KAKODKAR (India)

307 Estimating the elastic interaction factors of two coplanar surface cracks under mode I load
T. H. LEEK (Hong Kong) & I. C. HOWARD (UK)

323 Rules for the assessment of interacting surface cracks under mode I load
T. H. LEEK (Hong Kong) & I. C. HOWARD (UK)